



VisualWall



VWX-TP153-64X192

Poster LED



FEATURES

Private Mold Design


Aluminum cabinet, good flatness
& high protection

Thickness

63mm


Weight

50kgs



Multiple interfaces design

Multiple interfaces for convenient connection and data transmission



Edge-flip design to protect LEDs



Wheels&Bottom bracket design



Various installation support



SPECIFICATION

Pixel Pitch	P1.53	P1.86	P2	P2.5	Unit
Module Size	320*160	320*160	320*160	320*160	mm
Scan Mode	1/52	1/43	1/40	1/32	scan
Led	SMD1212	SMD1515	SMD1515	SMD2121	
Brightness	600	600	750	750	nits
Cabinet Size (WHD)	640*1920*63	640*1920*63	640*1920*63	640*1920*63	mm
Cabinet Resolution	418*1255	344*1023	320*960	256*768	dots
Cabinet Material	Aluminum	Aluminum	Aluminum	Aluminum	
Cabinet Weight	50	50	50	50	kgs
Density	524590	355008	307200	196608	dots
Maintenance way	Front Access	Front Access	Front Access	Front Access	

Refresh Rate	1920/3840/7680	1920/3840/7680	1920/3840/7680	1920/3840/7680	hz/s
Viewing Angle	160/160	160/160	160/160	160/160	deg
Max Power consumption / Average Power consumption	400/200	400/200	400/200	400/200	w/m ²
Gray Scale	14-16	14-16	14-16	14-16	bits
Contrast Ratio	4000:1	4000:1	4000:1	4000:1	
IP Grade	IP31	IP31	IP31	IP31	

